



Analysezertifikat

Manufacturing site is certified according to ISO 9001, ISO 14001, ISO 45001 and EFfCI

Zertifikat generiert am

Sederma SAS
29 rue du Chemin vert - B.P.33
78612 Le Perray-en-Yvelines
France

Kundenangaben

MUSSLER COSMETIC PRODUCTION
GMBH & CO. KG
Blochmatt 5-9
76534 Baden-Baden
Germany

Fax Nr. 07223/9663799

Kunden-Ref. 21/000313
Laborauftrag 040001098356
C of A gedruckt am 25.03.2021
Croda Auftragsnr. 3536451
Croda Lieferscheinnr. 800064190
Menge 10,000 KG

Batch Details

Produkt Name: MATRIXYL® 3000 FREE
Produkt Code: SE25360/0010/2P40
Batch Nr. 0001796882

Analyse erstellt am: 04.01.2021
Herstellungsdatum: 18.12.2020
Empf. Nachanalyse: 18.12.2022

Produkt Code (Kunde): 31809
Spezifikation 24-OCT-05 - RV 1.0

Analysenergebnisse

Analytical Test Methoden Nr. Test	Spezifikationsgrenze		Ergebnis	Einheit	Status
	Min	Max			
Addendum 00	PASS OR FAIL		Pass	-	P
AV002080 APPEARANCE FORM	GEL		Pass	-	P
AV002090 APPEARANCE COLOUR	WHITISH		Pass	-	P
AV002100 APPEARANCE CLARITY	OPALESCENT		Pass	-	P
EV000170 WATER CONTENT KARL FISCHER	20,0	30,0	25,1	%	P
FV000010 pH VALUE	4,0	6,0	4,6		P
FV000920 SPECIFIC GRAVITY (20°C)	1,140	1,160	1,152		P
FV000930 REFRACTIVE INDEX (25°C)	1,425	1,445	1,431		P
HV002110 PALGQPR CONTENT HPLC	40	70	60	ppm	P
HV002110 PAL GHK CONTENT HPLC	90	130	120	ppm	P
JV000780 TOTAL AEROBIC MICROBIAL COUNT	100 CFU/G MAX		Pass	-	P
JV000780 TOTAL COMBINED YEASTS/MOULDS COUNT	10 CFU/G MAX		Pass	-	P

Long term storage, recommended between +4°C and +7°C.



Analysenzertifikat

Manufacturing site is certified according to ISO 9001, ISO 14001,
ISO 45001 and EFfCI

Zertifikat generiert am

Sederma SAS
29 rue du Chemin vert - B.P.33
78612 Le Perray-en-Yvelines
France

Kundenangaben

MUSSLER COSMETIC PRODUCTION
GMBH & CO. KG
Blochmatt 5-9
76534 Baden-Baden
Germany

Fax Nr. 07223/9663799

Kunden-Ref. 21/000313
Laborauftrag 040001098356
C of A gedruckt am 25.03.2021
Croda Auftragsnr. 3536451
Croda Lieferscheinnr. 800064190
Menge 10,000 KG

The performed analysis are guaranteed when product is stored in original packaging and at recommended temperature.

Crystallization may occur during prolonged storage at 4°C
Reversible at 40°C without altering the quality of the product.

Batch Status: Pass

Die oben aufgeführten Qualitätsprüfung beziehen sich auf den angegebenen Batch. Die durchgeführten Analysen bestätigen die Übereinstimmung mit den Vorgaben der Produktspezifikation, garantieren aber nicht die Anwendbarkeit in jeder Applikation, die über die Spezifikation hinausgeht. Wir empfehlen daher, eigene Untersuchungen bezüglich Identität und Qualität durchzuführen.

The name printed at the end of this document is an electronic signature.

Freigabe durch

Nicolas Dupont Quality Assurance